	Application No.	Applicant(s)
Notice of Allowability	10/792,060	DEPLAZES ET AL.
	Examiner	Art Unit
	Jonathan Salata	2837
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this applied or other appropriate communication GHTS. This application is subject to and MPEP 1308.	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>application filed 3-3-0</u>	<u>14</u> .	
2. The allowed claim(s) is/are <u>1-20</u> .		
 3. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4-12-04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e
		•

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND
TRADEMARKS
Washington, D.C. 20231

Paper No:20070208

Application No: 10/792060 Filing Date: March 3,2004

1. Claims 1-20 are allowed.

2. The following is an examiner's statement of reasons for allowance: The limitations of an elevator controller and shaft/car door detection system wherein fault information is relayed to the controller and based on the position and speed of the elevator car the controller permits operation of the car at "safe" floors or parks the car at the fault floor, is not taught or reasonably suggested by the cited art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Todaro, Eschenbrenner et al., Sanservero, Zaharia and Schoppa et al are cited to illustrate similar safety chain/operation systems for elevators

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Art Unit: 2837

Any inquiry of a general nature should be directed to the Group receptionist whose telephone number is (571) 272-2800.

Information regarding the STATUS of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see http://pair-direct.uspto.gov. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15,1989). The Fax Center number is (571) 273-8300.

For assistance in Patent procedure, fees or general Patent questions calls should be directed to the Inventors Assistance Center (IAC) whose telephone number is 800-PTO-9199 or 800-786-9199. Assistance is also available on the Internet at www.uspto.gov.

For requesting copies of Cited Art, Office Actions or the like, response to Status Letters, lost papers or files or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 571-272-2800 or by fax at 571-273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Salata whose telephone number is (571) 272-2073. The examiner does not have as detailed access as the previously listed numbers with regard to status or general problem solving. The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lincoln Donovan, can be reached on (571) 272-2800 ext 27. ais

February 8, 2007

JOMATHAN SALATA
PRIMARY EXAMINER
ART UNIT 2837